

/
 Simnorrrelrtit Tablerq/Rironatir Tablerq (co-packaged)
 Xiannssore uei Pian/Lirsonauei Pian Zshebaoxhsang
 p
 : (S)-N-((S)- - - -(S)- - -) - (S)- -
 - - (- , - -) - , - - - [.]
 :
 C H F N O S
 - - - - -
 - - - - -
 p
 - - [(αS)-α-((S, S)- - - -(S)- -) -(- - -)]
] - -] - -]
 C H N O S
 - - - - -
 - - - - -
 p
 " Γ Ö " Γ Γ p + Ć " Γ L
 A fauēpC5Eimlled19KcFcm1v4d3 vEO+ cōz&G%6% > „İ±egfY)FrVpα3—9P/E/Ä-
 COVID-
 0 0

Encorafenib

Fogamarinib

Nerarinib

Veneroclav

mbo

Δ

CYP A CYP C

R-

S-

P

α

Nerarinib

Veneroclav

Nerarinib

Veneroclav

1

a

«

2 u

2

Y 5

 v^D
$$d_r$$

a -

p

H

4
mg
q h

-
mg
q h h

↓ %

↔

↔

↔

Encorafenib

Foqramarinib

Nerarinib

Veneroclav

Δ

CYP A

CYP C
R-

R-

p

**

S-

	u v p p			
	p CYP A p u u			
Lomirapide	CYP A	Lomirapide	p	CYP A
	Lomirapide u v Lomirapide			
	u v p			
	v z			

mavma
g | . g
p
Cmav
/
. g/ . g | . g/ . g
AUC
. g/ . g | . g/ . g
. g | . g

	0.750g/0.1g /N=24	0.750g/0.1g /N=12	0.750g/0.1g /N=12
AUC _{0-∞} (h³ng/mL)	(. . %)	(. . %)	(. . %)

	(. %)	(. %)	(. %)
	(. %)	(. %)	(. %)
	. - .	. - .	. - .
	. . .	. . .	⁵ 0

ן P/D
ן P

ן g

ז ג